

MiniScience.COM

EOLIC CAR KIT

NOTES FOR CONSTRUCTION OF EOLIC CAR KIT CAT# CEOCARKIT

THIS KIT HAS A SIMPLE STRUCTURE FULLY PACKAGED IN PARTS.

CEOCARKIT

USE THE WIND BLOWN BY THE SMALL MOTOR TO TURN THE FAN BLADES AS POWER. IT IS A WIND-POWERED CAR THAT IS EASY TO ASSEMBLE AND FUN.



WORKING PRINCIPLE:


AFTER THE POWER IS TURNED ON, THE BATTERY PROVIDES POWER TO THE MOTOR, THE MOTOR ROTATES AND DRIVES THE FAN BLADES TO ROTATE, BLOWING AIR BACKWARDS, AND THE REACTION FORCE OF THE WIND ACTS ON THE TROLLEY, MAKING THE TROLLEY MOVE FORWARD.

FIRST STEP:

GLUE THE BRACKET WITH WOODWORKING GLUE AND INSTALL IT LEAVE IT FOR A PERIOD OF TIME (THE WOOD GLUE SOLIDIFIES FOR ABOUT 30 MINUTES)

STEP TWO:

INSTALL THE FOUR WHEELS AND FIX THE SMALL MOTOR WITH CABLE TIES. INSTALL THE TREFOIL LEAVES.



THIRD STEP:

INSTALL THE BATTERY BOX AND CONNECT THE WIRING. THE WINDMILL IS FINISHED. NOTE THAT IF THE CAR GOES BACKWARDS, JUST RECONNECT THE POSITIVE AND NEGATIVE WIRES OF THE BATTERY BOX.

RELATED PRODUCTS



PROPELLER CAR



PROPELLERS



MOTORS



SCIENCE KITS